Copyright Notice

These slides are distributed under the Creative Commons License.

<u>DeepLearning.Al</u> makes these slides available for educational purposes. You may not use or distribute these slides for commercial purposes. You may make copies of these slides and use or distribute them for educational purposes as long as you cite <u>DeepLearning.Al</u> as the source of the slides.

For the rest of the details of the license, see <u>https://creativecommons.org/licenses/by-sa/2.0/legalcode</u>



Math for Machine Learning

Linear algebra - Week 2

Solving systems of equations Matrix row reduction Row operations that preserve singularity Row-reduced echelon form Row echelon form Rank of a matrix

Solving System of Linear Equations

Machine learning motivation





"Hello! Welcome to Math for Machine Learning!"







"Hello! Welcome to Math for Machine Learning!"



"Hello! Welcome to Math for Machine Learning!"



Neural networks - Sound recognition



Acoustic monitoring: Monitoring ecosystems through sounds

• Sound recognition: tracking species through sound to preserve bio-habitats.

Neural Networks - Al-generated music



Neural network generates music

Automatic music
generation: compressing
music to discrete codes,
then training the model on
a specific genre to produce
new music.

Solving System of Linear Equations

DeepLearning.Al

Solving non-singular system of linear equations

System





System







System







System







System









System

• a + b = 10• a + 2b = 12



System

• a + b = 10• a + 2b = 12





















Multiplying by a constant



Multiplying by a constant

a + b = 10



Multiplying by a constant

a + b = 10 x 7



Multiplying by a constant

a + b = 10**x** 7 7a + 7b = 70



Multiplying by a constant

a + b = 10 7

X

Adding two equations

Multiplying by a constant Addin a + b = 10 x 77a + 7b = 70



a + b = 10






Manipulating equations





Let's do a harder example



DeepLearning.AI

System

- 5a + b = 17
- 4a 3b = 6



System	Solved system
• 5a + b = 17	• a = ?
• 4a - 3b = 6	• b = ?



Eliminate 'a' from this equation























DeepLearning.Al







DeepLearning.Al



DeepLearning.Al



DeepLearning.AI



DeepLearning.Al

System	Solved system
• 5a + b = 17	• a = ?
• 3b = 6	• b = ?



Eliminate 'a' from this equation

















Quiz

• Solve the following system of equations

System

- 2a + 5b = 46
- 8a + b = 32



Solution

• Solve the following system of equations

System

- 2a + 5b = 46
- 8a + b = 32

Solution

- a = 3
- b = 8

Solving System of Linear Equations

Solving singular system of linear equations



System	Solved system
• a + b = 10	• a = ?
• 2a + 2b = 20	• b = ?


























DeepLearning.AI

System	Solved system
• a + b = 10	• a = ?
• 2a + 2b = 24	• b = ?

System	Solved system
• a + b = 10	• a = ?
• 2a + 2b = 24	• b = ?
Eliminate 'a'	

from this equation

















DeepLearning.Al

Quiz

• Solve the following system of equations

- 5a + b = 11
- 10a + 2b = 22



Solution

• Solve the following system of equations

System

- 5a + b = 11
- 10a + 2b = 22

Solution: If you look closely into the two equations in the system, you'll find that if equation 2 is divided by 2 you'll obtain equation 1.

Therefore, the system has infinitely many solutions.

Solving System of Linear Equations

DeepLearning.Al

Solving system of equations with more variables

- a + b + 2c = **12**
- 3a 3b c = 3
- 2a b + 6c = **24**







- a + b + 2c = **12**
- 3a 3b c = 3
- 2a b + 6c = **24**



System

Divide each row by the coefficient of 'a'

DeepLearning.AI

System

a t	b + 2c = 12	• a + b + 2c = 12
• 3a	- 3b - c = 3	• a - b - 1/3 c = 1
2a	- b + 6c = 24	• a - b/2 + 3c = 12

Divide each row by the coefficient of 'a'

DeepLearning.Al

System





• a - b - 1/3 c = 1

• a - b/2 + 3c = **12**

Divide each row by the coefficient of 'a' Use the first equation to remove 'a' from the others

System





• a - b - 1/3 c = 1

• a - b/2 + 3c = **12**

Divide each row by the coefficient of 'a' Use the first equation to remove 'a' from the others

- a + b + 2c = 12
- -2b 7/3 c = -11
- - 3/2 b + c = 0

DeepLearning.AI

System







Divide each row by the coefficient of 'a' Use the first equation to remove 'a' from the others

Isolated 'a'

DeepLearning.Al

System



Divide each

row by the

coefficient of 'a'



- a + b + 2c = **12**
- -2b 7/3 c = -11
- - 3/2 b + c = 0



System



Divide last two rows by the coefficient of b

DeepLearning.Al

System

a + b + 2c = 12
-2b - 7/3 c = -11
-3/2 b + c = 0

- a + b + 2c = **12**
- b + 7/6 c = **11/2**
- b 2/3 c = 0

Divide last two rows by the coefficient of b

System



• b - 2/3 c = 0

Divide last two rows by the coefficient of b Use the second equation to remove 'b' from the third

System



• b - 2/3 c = 0

• a + b + 2c = 12

٠

-11/6 c = **-11/2**

Divide last two rows by the coefficient of b Use the second equation to remove 'b' from the third

DeepLearning.AI

System



a + b + 2c = 12
b + 7/6 c = 11/2

• b - 2/3 c = 0

Divide last two rows by the coefficient of b Use the second equation to remove 'b' from the third



System



a + b + 2c = 12
b + 7/6 c = 11/2

• b - 2/3 c = 0

Divide last two rows by the coefficient of b Use the second equation to remove 'b' from the third



- a + b + 2c = **12**
- b + 7/6 c = 11/2
- c = 3



System

- a + b + 2c = **12**
- b + 7/6 c = 11/2
- c = 3

Replace c = 3in the second equation, get b = 2

DeepLearning.Al

System



in the second equation, get b = 2

DeepLearning.AI




Elimination method



Solving System of Linear Equations

Matrix row reduction



Original system

- 5a + b = 17
- 4a 3b = 6









Original matrix





Original matrix

Upper diagonal matrix













Original system

- a + b = 10
- 2a + 2b = 20







Original matrix











Original system

- 5a + b = 11
- 10a + 2b = 22







Original matrix













Original system

• 0a + 0b = 0

• 0a + 0b = 0







Original matrix











Solving System of Linear Equations

DeepLearning.Al

Row operations that preserve singularity

5	1
4	3



5 1 4 3

Determinant = $5 \cdot 3 - 1 \cdot 4 = 11$



Determinant = $5 \cdot 3 - 1 \cdot 4 = 11$





Determinant $= 5 \cdot 3 - 1 \cdot 4 = 11$ Determinant $= 4 \cdot 1 - 3 \cdot 5 = -11$




Switching rows



Switching rows



5	1
4	3



Determinant = $5 \cdot 3 - 1 \cdot 4$





Determinant = $5 \cdot 3 - 1 \cdot 4$

= 11



Determinant = $5 \cdot 3 - 1 \cdot 4$

= 11

4 3





Determinant $= 5 \cdot 3 - 1 \cdot 4$

= 11







Determinant = $5 \cdot 3 - 1 \cdot 4$

= 11



Determinant = $5 \cdot 3 - 1 \cdot 4$

= 11



Determinant = $5 \cdot 3 - 1 \cdot 4$

= 11



= 11







Determinant = $5 \cdot 3 - 1 \cdot 4$

= 11





Determinant $= 5 \cdot 3 - 1 \cdot 4$

= 11





• 3	- 1	• 4
•	3	3 - 1

= 11



Determinant $= 5 \cdot 3 - 1 \cdot 4$

5

4

1

3

= 11



Determinant = $5 \cdot 3 - 1 \cdot 4$

= 11



Determinant = $5 \cdot 3 - 1 \cdot 4$

= 11



Determinant = $5 \cdot 3 - 1 \cdot 4$

= 11



Determinant =
$$5 \cdot 3 - 1 \cdot 4$$

Determinant = $9 \cdot 3 - 4 \cdot 4$

= 11



Solving System of Linear Equations

Rank of a matrix





Original (Rank 200)



Original (Rank 200)

Rank 1





Original (Rank 200)



Rank 5





Rank 2



Original (Rank 200)



Rank 5



Rank 15

Rank 2





Original (Rank 200)



System 1





System 1



System 2





System 1



System 2



System 3





System 1



System 2



System 3



Two sentences

System 1



System 2



System 3



Two sentences

Two pieces of information

System 1



System 2



System 3



Two sentences

Two sentences

Two pieces of information
System 1



System 2



System 3



Two sentences

Two sentences

Two pieces of information

One piece of information



System 1



System 2



System 3



Two sentences

Two pieces of information

Two sentences

Two sentences

One piece of information

System 1



System 2

The dog is **black** The dog is **black** System 3



Two sentences

Two pieces of information

Two sentences

One piece of information

Two sentences

Zero pieces of information



System 1



System 2

The dog is **black** The dog is **black** System 3



Two sentences

Two pieces of information

Rank = 2

Two sentences

One piece of information

Two sentences

Zero pieces of information

DeepLearning.AI

System 1



System 2

The dog is **black** The dog is **black**

System 3



Two sentences

Two pieces of information

Rank = 2

DeepLearning.AI

Two sentences

One piece of information

Two sentences

Zero pieces of information

Rank = 1

System 1



System 2

The dog is **black** The dog is **black**

Rank = 1

System 3



Two sentences

Two pieces of information

Rank = 2

Two sentences

One piece of information

Two sentences

Zero pieces of information

Rank = 0



DeepLearning.AI

System 1







DeepLearning.Al



$$0a + 0b = 0$$

 $0a + 0b = 0$

DeepLearning.Al



Two equations



Two equations

Two pieces of information





Two equations

Two pieces of information

Rank = 2

DeepLearning.Al



Two equations

Two equations

Two pieces of information

Rank = 2

DeepLearning.Al



Two equations

Two equations

Two pieces of information

One piece of information

Rank = 2





Two equations

Two pieces of information

Rank = 2

Two equations

One piece of information

Rank = 1











Two equations	Two equations	Two equations
Two pieces of information	One piece of information	Zero pieces of information
Rank = 2	Rank = 1	Rank = 0



Two equations	Two equations	Two equations
Two pieces of information	One piece of information	Zero pieces of information
Rank = 2	Rank = 1	Rank = 0



Two equations	Two equations	Two equations
Two pieces of information	One piece of information	Zero pieces of information
Rank = 2	Rank = 1	Rank = 0



Two equations	Two equations	Two equations
Two pieces of information	One piece of information	Zero pieces of information
Rank = 2	Rank = 1	Rank = 0





Two equations	Two equations	Two equations
Two pieces of information	One piece of information	Zero pieces of information
Rank = 2	Rank = 1	Rank = 0

2

1

2



Iwo equations	Iwo equations	Iwo equations
Two pieces of information	One piece of information	Zero pieces of information
Rank = 2	Rank = 1	Rank = 0











Dimension of solution space = 0



DeepLearning.Al







Rank = 0

Dimension of solution space = 0 Dimension of solution space = 1



DeepLearning.AI



DeepLearning.Al

Rank of a matrix



Dimension of solution space = 0 Dimension of solution space = 1 Dimension of solution space = 2

Rank = 2 - (Dimension of solution space)





Rank = 2







Non-singular

DeepLearning.AI



Non-singular







Non-singular

Singular

Singular





DeepLearning.AI

Quiz: Rank of a matrix

Determine the rank of the following two matrices

Matrix 1

5	1
-1	3

Matrix 2

2	-1
-6	3

DeepLearning.AI
Solutions: Rank of a matrix

Determine the rank of the following two matrices

Matrix 1: Since the solution space had dimension 0, the rank is 2.



Matrix 2: Since the solution space had dimension 1, the rank is 1.



Solving System of Linear Equations





System 1	System 2	System 3	System 4	
a + b + c = 0	a + b + c = 0	a + b + c = 0	0a + 0b + 0c = 0	
a + 2b + c = 0	a + b + 2c = 0	2a + 2b + 2c = 0	0a + 0b + 0c = 0	
a + b + 2c = 0	a + b + 3c = 0	3a + 3b + 3c = 0	0a + 0b + 0c = 0	



System 1	System 2	System 3	System 4
a + b + c = 0 🛛 🖋	a + b + c = 0	a + b + c = 0	0a + 0b + 0c = 0
a + 2b + c = 0	a + b + 2c = 0	2a + 2b + 2c = 0	0a + 0b + 0c = 0
a + b + 2c = 0	a + b + 3c = 0	3a + 3b + 3c = 0	0a + 0b + 0c = 0

System 1	System 2	System 3	System 4	
a+b+c=0 <	a + b + c = 0	a + b + c = 0	0a + 0b + 0c = 0	
a + 2b + c = 0 🗹	a + b + 2c = 0	2a + 2b + 2c = 0	0a + 0b + 0c = 0	
a + b + 2c = 0	a + b + 3c = 0	3a + 3b + 3c = 0	0a + 0b + 0c = 0	

System 1	System 2	System 3	System 4	
a+b+c=0 <	a + b + c = 0	a + b + c = 0	0a + 0b + 0c = 0	
a + 2b + c = 0 🗹	a + b + 2c = 0	2a + 2b + 2c = 0	0a + 0b + 0c = 0	
a + b + 2c = 0 🗹	a + b + 3c = 0	3a + 3b + 3c = 0	0a + 0b + 0c = 0	



System 1 Syst		System 2	System 3	System 4	
a + b + c = 0		a + b + c = 0	a + b + c = 0	0a + 0b + 0c = 0	
a + 2b + c = 0 a + b + 2c = 0		a + b + 2c = 0 a + b + 3c = 0	2a + 2b + 2c = 0 3a + 3b + 3c = 0	0a + 0b + 0c = 0 0a + 0b + 0c = 0	

3 Equations 3 Pieces of information



System 1	System 2	System 3	System 4
a+b+c=0 🗸	a + b + c = 0	a + b + c = 0	0a + 0b + 0c = 0
a + 2b + c = 0 🗹	a + b + 2c = 0	2a + 2b + 2c = 0	0a + 0b + 0c = 0
a + b + 2c = 0 🗹	a + b + 3c = 0	3a + 3b + 3c = 0	0a + 0b + 0c = 0

3 Equations3 Pieces of information

Rank 3

System 1	System 2	System 3	System 4	
a+b+c=0 🗹	a + b + c = 0	a + b + c = 0	0a + 0b + 0c = 0	
a+2b+c=0 🗹	a + b + 2c = 0	2a + 2b + 2c = 0	0a + 0b + 0c = 0	
a + b + 2c = 0 🗹	a + b + 3c = 0	3a + 3b + 3c = 0	0a + 0b + 0c = 0	

3 Equations3 Pieces of information

Rank 3



System 1	System 2	System 3	System 4	
a+b+c=0	a + b + c = 0	a + b + c = 0 2a + 2b + 2c = 0	0a + 0b + 0c = 0 0a + 0b + 0c = 0	
a + b + 2c = 0 🗹	a + b + 3c = 0	3a + 3b + 3c = 0	0a + 0b + 0c = 0	

3 Equations3 Pieces of information

Rank 3





System 3

a + b + c = 0
2a + 2b + 2c = 0
3a + 3b + 3c = 0

System 4

0a	+	0b	+	0c	=	0
0a	+	0b	+	0c	=	0
0a	+	0b	+	0c	=	0

3 Equations3 Pieces of information

Rank 3







System 3

a + b + c = 0
2a + 2b + 2c = 0
3a + 3b + 3c = 0

System 4

0a + 0b + 0c = 00a + 0b + 0c = 00a + 0b + 0c = 0

3 Equations 3 Pieces of information

Rank 3



System 1



System 2



System 3

a + b + c = 0
2a + 2b + 2c = 0
3a + 3b + 3c = 0

System 4

0a + 0b + 0c = 00a + 0b + 0c = 00a + 0b + 0c = 0

3 Equations 3 Pieces of information **3** Equations 2 Pieces of information

Rank 3



System 1

a + b + c = 0	V
a + 2b + c = 0	~
a + b + 2c = 0	V

System 2



System 3

a + b + c = 0
2a + 2b + 2c = 0
3a + 3b + 3c = 0

System 4

0a +	- 0b	+	0c	=	0
0a +	- 0b	+	0c	=	0
0a +	- 0b	+	0c	=	0

3 Equations3 Pieces of information

3 Equations 2 Pieces of information

Rank	3



Rank 2

System 1

System 2



System 3

a + b + c = 0
2a + 2b + 2c = 0
3a + 3b + 3c = 0

System 4

0a +	- 0b	+	0c	=	0
0a +	- 0b	+	0c	=	0
0a +	- 0b	+	0c	=	0

3 Equations 3 Pieces of information **3** Equations 2 Pieces of information

Rank 3



Rank 2



System 1

a + b + 2c = 0 🗹

System 2

a + b + c = 0 \checkmark a + b + c = 0 \checkmark a + 2b + c = 0 \checkmark a + b + 2c = 0 \bigotimes a + b + 3c = 0 🗹

System 3



System 4

0a + 0b + 0c = 00a + 0b + 0c = 00a + 0b + 0c = 0

3 Equations 3 Pieces of information

3 Equations 2 Pieces of information

Rank 3



Rank 2



System 1

a + b + 2c = 0 🗹

System 2

a + b + c = 0 \checkmark a + b + c = 0 \checkmark a + 2b + c = 0 \checkmark a + b + 2c = 0 \bigotimes a + b + 3c = 0 <

System 3



System 4

0a + 0b + 0c = 00a + 0b + 0c = 00a + 0b + 0c = 0

3 Equations 3 Pieces of information

3 Equations 2 Pieces of information

Rank 3



Rank 2



System 1

a + b + 2c = 0 🗹

System 2



System 3



System 4

0a + 0b + 0c = 00a + 0b + 0c = 00a + 0b + 0c = 0

3 Equations 3 Pieces of information

3 Equations 2 Pieces of information

Rank 3



Rank 2



System 1

a + b + 2c = 0 🗹

System 2



3 Equations 3 Pieces of information **3 Equations** 2 Pieces of information

System 3



3 Equations 1 Piece of information

System 4

0a + 0b + 0c = 00a + 0b + 0c = 00a + 0b + 0c = 0

Rank 3



Rank 2



System 1

a + b + 2c = 0 📝

System 2



3 Equations 3 Pieces of information **3 Equations** 2 Pieces of information

System 3



3 Equations 1 Piece of information

System 4

0a + 0b + 0c = 00a + 0b + 0c = 00a + 0b + 0c = 0

Rank 3







Rank 1

System 1

a + b + c = 0 🛛 🖋 a + b + 2c = 0 🗹

System 2



3 Equations 3 Pieces of information **3 Equations** 2 Pieces of information

System 3

3 Equations 1 Piece of information

System 4

0a + 0b + 0c = 00a + 0b + 0c = 00a + 0b + 0c = 0

Rank 3



Rank 2



Rank 1

1	1	1
2	2	2
3	3	3

System 1

a + b + c = 0 🛛 🖌

System 2



3 Equations 3 Pieces of information **3 Equations** 2 Pieces of information

System 3

$$a + b + c = 0$$

 $2a + 2b + 2c = 0$
 $3a + 3b + 3c = 0$

3 Equations 1 Piece of information

System 4

Rank 3







Rank 1

1	1	1
2	2	2
3	3	3

System 1

a + b + 2c = 0 🗹

System 2



3 Equations 3 Pieces of information **3** Equations 2 Pieces of information

System 3

3 Equations 1 Piece of information

System 4

Rank 3







Rank 1



System 1

System 2



3 Equations 3 Pieces of information **3** Equations 2 Pieces of information

System 3



3 Equations 1 Piece of information

System 4

0a + 0b + 0c = 0	X
0a + 0b + 0c = 0	X
0a + 0b + 0c = 0	X

Rank 3







Rank 1

1	1	1
2	2	2
3	3	3

System 1

System 2

a + b + c = 0 \checkmark a + b + c = 0 \checkmark a + 2b + c = 0 \checkmark a + b + 2c = 0 \bigotimes a + b + 2c = 0 \checkmark a + b + 3c = 0 \checkmark

3 Equations 3 Pieces of information

3 Equations 2 Pieces of information

System 3

a+b+c=0 ♥ 2a + 2b + 2c = 0 🐰 3a + 3b + 3c = 0 🐹

3 Equations **1** Piece of information

System 4

0a + 0b + 0c = 0	X
0a + 0b + 0c = 0	X
0a + 0b + 0c = 0	X

3 Equations 0 Pieces of information









Ra	nk	1	

1	1	1
2	2	2
3	3	3

System 1

System 2

a + b + c = 0 \checkmark a + b + c = 0 \checkmark a + 2b + c = 0 \checkmark a + b + 2c = 0 \bigotimes a + b + 2c = 0 \checkmark a + b + 3c = 0 \checkmark

3 Equations 3 Pieces of information

3 Equations 2 Pieces of information

System 3

2a + 2b + 2c = 0 🐹 3a + 3b + 3c = 0 🐹

3 Equations 1 Piece of information

System 4

0a + 0b + 0c = 0 🐰 0a + 0b + 0c = 0 🔀 0a + 0b + 0c = 0 🔀

3 Equations 0 Pieces of information

Rank 3	
--------	--



DeepLearning.AI





Rank 1			
1	1	1	
2	2	2	
3	3	3	

Rank 0

System 1

a + b + 2c = 0 🗹

System 2

a + b + c = 0 \checkmark a + b + c = 0 \checkmark a + 2b + c = 0 \checkmark a + b + 2c = 0 \bigotimes a + b + 3c = 0 <

3 Equations **3 Pieces of information**

3 Equations 2 Pieces of information

System 3

2a + 2b + 2c = 0 🐹 3a + 3b + 3c = 0 🐹

3 Equations 1 Piece of information

System 4

0a + 0b + 0c = 0 🐰 0a + 0b + 0c = 0 🔀 0a + 0b + 0c = 0 🔀

3 Equations 0 Pieces of information









Rank 0

0	0	0
0	0	0
0	0	0

Question

- Is there an easier way to calculate the rank?
- Answer: Yes! As before, it is the number of ones in the diagonal of the reduced row echelon form of the matrix.

Solving System of Linear Equations

Row echelon form



Original matrix





Original matrix

Row echelon form



Original matrix

Row echelon form





Original matrix

Row echelon form



Original matrix

Row echelon form



Original matrix

Row echelon form






Original matrix



Divide each row by the leftmost coefficient

DeepLearning.Al

Original matrix



Divide each row by the leftmost coefficient



Original matrix



Divide each row by the leftmost coefficient

DeepLearning.AI

Original matrix



Divide each row by the leftmost coefficient

DeepLearning.Al

Original matrix



Divide each row by the leftmost coefficient





































Original matrix



Divide each row by the leftmost coefficient

DeepLearning.AI

Original matrix



Divide each row by the leftmost coefficient

DeepLearning.Al

Original matrix



Divide each row by the leftmost coefficient

DeepLearning.Al

Original matrix



Divide each row by the leftmost coefficient

DeepLearning.AI

Original matrix



Divide each row by the leftmost coefficient

























Original matrix

DeepLearning.AI





DeepLearning.AI





Original matrix



Divide each row by the leftmost coefficient

DeepLearning.AI

Original matrix



Divide each row by the leftmost coefficient

DeepLearning.AI

Original matrix



Divide each row by the leftmost coefficient

DeepLearning.Al
Row echelon form for singular matrices

Original matrix



Divide each row by the leftmost coefficient

Row echelon form for singular matrices

Row echelon form

Original matrix



Divide each row by the leftmost coefficient













0	0
0	0





0	0	 0	0
0	0	0	0



2 ones in the diagonal



0	0	 0	0
0	0	0	0



2 ones in the diagonal



0	0	 0	0
0	0	0	0









Non-singular matrix







Solving System of Linear Equations

Row echelon form: General case

System

- a + b + 2c = **12**
- 3a 3b c **= 3**
- 2a b + 6c = **24**



System	Sy	vstem
• a + b + 2c = 12	• 6	a + b + 2c = 12
• 3a - 3b - c = 3	 •	-6b - 7c = -33
• 2a - b + 6c = 24	•	6c = 18

System	Sy	vstem
• a + b + 2c = 12	• 6	a + b + 2c = 12
• 3a - 3b - c = 3	 •	-6b - 7c = -33
• 2a - b + 6c = 24	•	6c = 18

Matrix

1	1	2
3	-3	-1
2	-1	6

 System
 System

 $\cdot a + b + 2c = 12$ $\cdot a + b + 2c = 12$
 $\cdot 3a - 3b - c = 3$ -6b - 7c = -33

 $\cdot 2a - b + 6c = 24$ 6c = 18

Matrix



Row echelon form matrix

1	1	2
0	-6	7
0	0	6

2	*	*	*	*
0	1	*	*	*
0	0	3	*	*
0	0	0	-5	*
0	0	0	0	1

3	*	*	*	*
0	0	1	*	*
0	0	0	-4	*
0	0	0	0	0
0	0	0	0	0

2	*	*	*	*
0	1	*	*	*
0	0	3	*	*
0	0	0	-5	*
0	0	0	0	1

3	*	*	*	*
0	0	1	*	*
0	0	0	-4	*
0	0	0	0	0
0	0	0	0	0

Zero rows at the bottom





- Zero rows at the bottom
- Each row has a pivot (leftmost non-zero entry)





- Zero rows at the bottom
- Each row has a pivot (leftmost non-zero entry)
- Every pivot is to the right of the pivots on the rows above



Rank 5



Rank 3

- Zero rows at the bottom
- Each row has a pivot (leftmost non-zero entry)
- Every pivot is to the right of the pivots on the rows above
- Rank of the matrix is the number of pivots

Another example

Matrix

1	1	1
1	2	1
1	1	2



Another example

Matrix



Subtract the first row from the second and the third ones

Another example



Subtract the first row from the second and the third ones

Matrix





Matrix



Subtract the first row from the second and the third ones

Matrix



Subtract the first row from the second and the third ones

Matrix



Subtract the first row from the second and the third ones Subtract twice the second row from the third one



Matrix

1	1	1
2	2	2
3	3	3



Matrix

1	1	1
2	2	2
3	3	3

Subtract twice the first row from the second row

Matrix



Subtract twice the first row from the second row
What if the matrix is singular?

Matrix



Subtract twice the first row from the second row

Subtract three times the first row from the third row



What if the matrix is singular?



Subtract twice the first row from the second row

Subtract three times the first row from the third row



Matrix 2			
1	1	1	
1	1	2	
1	1	3	

Matrix 3			
1	1	1	
2	2	2	
3	3	3	

|--|

0	0	0
0	0	0
0	0	0



Matrix 2			
1	1	1	
1	1	2	
1	1	3	

Matrix 3			
1	1	1	
2	2	2	
3	3	3	

		•	
ΝЛ	^	 IV	
IVI		 IX	4
	•		_

0	0	0
0	0	0
0	0	0

Row echelon forms



Matrix 2			
1	1	1	
1	1	2	
1	1	3	

Matrix 3			
1	1	1	
2	2	2	
3	3	3	

_				
- IN //	OT	M 13		л
IVI			ĸ	-
			•	-

0	0	0
0	0	0
0	0	0

Row echelon forms





Matrix 2		
1	1	1
1	1	2
1	1	3

Matrix 3		
1	1	1
2	2	2
3	3	3

Μ	a	tr	ix	4
	-			-

0	0	0
0	0	0
0	0	0

Row echelon forms

1	1	1
0	1	0
0	0	1





Matrix 2		
1	1	1
1	1	2
1	1	3

Matrix 3		
1	1	1
2	2	2
3	3	3

Matrix 4

0	0	0
0	0	0
0	0	0

Row echelon forms

1	1	1
0	1	0
0	0	1







Matrix 2		
1	1	1
1	1	2
1	1	3

Matrix 3		
1	1	1
2	2	2
3	3	3

Matrix 4

0	0	0
0	0	0
0	0	0

Row echelon forms

1	1	1
0	1	0
0	0	1





0	0	0
0	0	0
0	0	0



Matrix 2		
1	1	1
1	1	2
1	1	3

Matrix 3		
1	1	1
2	2	2
3	3	3

Matrix 4

0	0	0
0	0	0
0	0	0

Row echelon forms



110000

1	1	1
0	0	0
0	0	0

0	0	0
0	0	0
0	0	0

Number of pivots = 3





Matrix 3		
1	1	1
2	2	2
3	3	3

NASTELV A	

0	0	0
0	0	0
0	0	0

Row echelon forms



Number of pivots = 3



Number of pivots = 2



0	0	0
0	0	0
0	0	0



Matrix	x 2	
1	1	1
1	1	2
1	1	3

Matrix 3			
1	1	1	
2	2	2	
3	3	3	

Matrix 4

0	0	0
0	0	0
0	0	0

Row echelon forms



Number of pivots = 3



Number of pivots = 2

 1
 1
 1

 0
 0
 0

 0
 0
 0

0	0	0
0	0	0
0	0	0

Number of pivots = 1





Matrix 3			
1	1	1	
2	2	2	
3	3	3	

	Μ	а	tr	ix	4
--	---	---	----	----	---

0	0	0
0	0	0
0	0	0

Row echelon forms



Number of pivots = 3



Number of pivots = 2



Number of pivots = 1

0	0	0
0	0	0
0	0	0

Number of pivots = 0





Matrix 3			
1	1	1	
2	2	2	
3	3	3	

ΝЛ	^	tr	IV	
IVI	a	LI	IX	4
	-	•••		-

0	0	0
0	0	0
0	0	0

Rank = 3

Row echelon forms



Number of pivots = 3



 1
 1
 1

 0
 0
 0

 0
 0
 0

0	0	0
0	0	0
0	0	0

Number of pivots = 2

Number of pivots = 1

Number of pivots = 0



 Matrix 2

 1
 1
 1

 1
 1
 2

1

3

Rank = 2

1



Matrix 4

0	0	0
0	0	0
0	0	0

Row echelon forms



Number of pivots = 3



Number of pivots = 2



0	0	0
0	0	0
0	0	0

Number of pivots = 1

Number of pivots = 0



Matrix 2111111113

Matrix 3

1	1	1
2	2	2
3	3	3

Rank = 1

Matrix 4

0	0	0
0	0	0
0	0	0

Rank = 3

Rank = 2

Row echelon forms



Number of pivots = 3

DeepLearning.AI



Number of pivots = 2



0	0	0
0	0	0
0	0	0

Number of pivots = 1

Number of pivots = 0



Matrix 2 1 1 1 1 1 2 1 1 3

Rank = 2



Rank = 1

Matrix 4

0	0	0
0	0	0
0	0	0

Rank = 0

Row echelon forms



Number of pivots = 3



Number of pivots = 2



0	0	0
0	0	0
0	0	0

Number of pivots = 1

Number of pivots = 0

Solving System of Linear Equations

Reduced row echelon form



Original system

- 5a + b = 17
- 4a 3b = 6











Original matrix





Original matrix

Upper diagonal matrix













Row echelon form





Row echelon form





Row echelon form



Row echelon form



Row echelon form



Row echelon form



Row echelon form



Row echelon form



Row echelon form


Row echelon form





1	0	0	0	0
0	1	0	0	0
0	0	1	0	0
0	0	0	1	0
0	0	0	0	1

1	*	0	0	*
0	0	1	0	*
0	0	0	1	*
0	0	0	0	0
0	0	0	0	0

1	0	0	0	0
0	1	0	0	0
0	0	1	0	0
0	0	0	1	0
0	0	0	0	1

1	*	0	0	*
0	0	1	0	*
0	0	0	1	*
0	0	0	0	0
0	0	0	0	0

Is in row echelon form





- Is in row echelon form
- Each pivot is a 1



	*	0	0	*
0	0	1	0	*
0	0	0	1	*
0	0	0	0	0
0	0	0	0	0

- Is in row echelon form
- Each pivot is a 1
- Any number above a pivot is 0



Rank 5

1	*	0	0	*
0	0	1	0	*
0	0	0	1	*
0	0	0	0	0
0	0	0	0	0

Rank 3

- Is in row echelon form
- Each pivot is a 1
- Any number above a pivot is 0
- Rank of the matrix is the number of pivots

3	*	*	*	*
0	0	2	*	*
0	0	0	-4	*
0	0	0	0	0
0	0	0	0	0

Row echelon form



1	*	*	*	*
0	0	1	*	*
0	0	0	1	*
0	0	0	0	0
0	0	0	0	0

Row echelon form





Divide each row by the value of the pivot

1	*	0	0	*
0	0	1	0	*
0	0	0	1	*
0	0	0	0	0
0	0	0	0	0

Row echelon form





Divide each row by the value of the pivot

Reduced row echelon form



Turn anything above a pivot to 0

Row echelon form

1	2	3
0	1	4
0	0	1



Row echelon form

1	2	3
0	1	4
0	0	1

Subtract 2 times the second row from the first one

Row echelon form



Subtract 2 times the second row from the first one

Row echelon form



Subtract 2 times the second row from the first one

Add 5 times the third row to the first one

-5

4

1



Row echelon form





Subtract 2 times the second row from the first one

Add 5 times the third row to the first one

Row echelon form





Subtract 2 times the second row from the first one

Add 5 times the third row to the first one

Subtract 4 times the third row from the second one

0

4

Row echelon form





Subtract 4 times the third row from the second one

0

1

0

1

0

0

0

4



Subtract 2 times the second row from the first one

Add 5 times the third row to the first one

1 2 3 0 1 4 0 0 1

Row echelon form



Add 5 times the third row to the first one

Subtract 4 times the third row from the second one

0

1

0

1

0

0

0

4

Reduced row echelon form



Subtract 2 times the second row from the first one

OcepLearning.Al

Solving System of Linear Equations



Conclusion